

## Mobile Podiatry Chair

Platinum Range



## PLATINUM RANGE

# MODEL 94CDT

Designed and developed specifically for podiatry procedures, this dual-column chair features vertical lifting to minimise space requirements and provides simple handswitch operated positioning of all parameters including height, two-way tilt, backrest and leg section angles. Additional patient comfort and positioning is provided by the fold-back armrests and the optional extending headrest.

The chair has a safe working load of 250kgs and additional clinical benefits such as CPR, two-way tilt, battery backup and auto Return-to-Zero (RTZ) position.

### **Patient Positioning**

The combination of electric height, tilt, backrest and leg sections provide various seated and semi-seated or reclined positions to be achieved for various clinical procedures. The armrests provide ample width to fully support the patient in all positions.

Additionally, when the backrest angle is changed, the armrests adjust angle accordingly for patient support and comfort.



## CPR Position

---

In the event of an emergency, the chair has an electric CPR function to position itself as quickly as possible for this procedure



## Adjustable Headrest (optional)

---

The extending headrest can be adjusted to the required length to suit the individual patient. The ratchet mechanism is quick and very simple to operate.

A matching head support cushion can also be provided to offer additional patient comfort if required.

## Trendelenburg Tilt

---

The Trendelenburg tilt facility is electrically operated and offers both positive and negative positioning between +20° and -20°.



# MODEL 94CDT

## Product Features & Specification

Dual Column Lift	Vertical lifting to minimise space requirements
Electric Operation	Controls height, tilt, back & leg rest angles, CPR and Return-to-Zero (RTZ) positions
Safe Working Load	250kgs (550lbs or 39 stone)
Height Range	52cm - 102cm (20" - 40")
Backrest Angle	Horizontal to +80°
Leg Section Angles	Horizontal to -90°
Two-Way Tilt	Electric operation from +20° to -20° Trendelenburg
Wheel System	Large 125mm twin castors with central locking and steering facility
Patient Armrests	Wide, fully-supporting armrests with self-levelling adjustment
Optional Extending Headrest	Extends 14cm (5.5")
Battery Backup	Providing emergency power during mains power failure
Preset Positions	Electrically operated CPR, Recovery and Return-to-Zero (RTZ) via handswitch
Hoist Clearance	Clearance beneath frame for mobile hoist - 13cm (5")
Upholstery	Deep contoured pressure-relieving design with Multistretch antimicrobial vinyl
Dimensions (LxWxH)	157 - 185cm x 63cm x 50-90cm (62" - 63" x 25" x 20" - 35") approx.
Warranty	Lifetime frame and 5 year parts guarantee

### Platinum Range Treatment Solutions & Packages

- Dialysis
- Oncology
- Cardio
- Lymphoedema
- Leg Ulcer
- Podiatry
- Gynaecology
- Bariatric
- Orthopaedic
- Ultrasound

**Plinth** | Medical

Plinth Medical Ltd.  
Barric Lane  
Occold, Eye, Suffolk,  
IP23 7PX

+44 (0) 1449 767 887  
sales@plinthmedical.com

[www.plinthmedical.com](http://www.plinthmedical.com)

NHS Approved Supplier

